

SKIPPER 150 LIGHT

Inflatable life jacket certified to ISO 12402-3, Class 150N, actual buoyancy >150N, bearing a quick-release buckle closure in acetal resin with integrated adjustment.

Designed for recreational boating activities on offshore waters and/or in adverse weather conditions, allowing the wearer to safely await rescue even in rough seas. Ensures maximum safety for all types of navigation. Easy and intuitive to wear, it provides maximum freedom of movement and mobility during sailing manoeuvres.

MAIN CHARACTERISTICS

- Quick-release buckle with integrated adjustment
- Rescue handle at nape
- Front lifting handle
- High-strength Velcro closure
- Ergonomic back strap
- Customisation available
- Crotch strap attachment point available

Available in 4 colours:



09230/24/BL




09230/24/NE



09230/24/RO



09230/24/VE



CUSTOMISATION

150

275

ACTIVATOR
A M
SYSTEM

33 g
1/2" GAS
THREAD

REFLECTIVE
TAPE

ORAL TUBE

SPIN

INCLINATION

CODE	PRODUCT NAME	ACTIVATION	ACTIVATOR
09230/24/BL	SKIPPER LIGHT 150 BLUE	AUTOMATIC	UML MK5
09230/24/NE	SKIPPER LIGHT 150 BLACK	AUTOMATIC	UML MK5
09230/24/RO	SKIPPER LIGHT 150 RED	AUTOMATIC	UML MK5
09230/24/VE	SKIPPER LIGHT 150 GREEN	AUTOMATIC	UML MK5
09231/24/BL	SKIPPER LIGHT 150 BLUE	MANUAL	UML MICROMANUAL
09231/24/NE	SKIPPER LIGHT 150 BLACK	MANUAL	UML MICROMANUAL
09231/24/RO	SKIPPER LIGHT 150 RED	MANUAL	UML MICROMANUAL
09231/24/VE	SKIPPER LIGHT 150 GREEN	MANUAL	UML MICROMANUAL

FEATURES

Code: 09230/24/BL - 09230/24/NE - 09230/24/RO - 09230/24/VE - 09231/24/BL - 09231/24/NE - 09231/24/VE - 09231/24/RO

Type	Inflatable life jacket
Inflators	UML MK5 - Automatic: 09230/24/BL - 09230/24/NE - 09230/24/RO - 09230/24/VE UML MICROMANUAL - Manual: 09231/24/BL - 09231/24/NE - 09231/24/RO - 09231/24/VE - Oral inflation tube on all versions
Canister	33 g Thread ½" GAS: 09230/24/NE - 09230/24/RO - 09230/24/VE - 09230/24/BL - 09231/24/BL - 09231/24/VE - 09231/24/NE - 09231/24/RO
Actual Buoyancy	150 N: 09230/24/BL - 09230/24/NE - 09230/24/RO - 09230/24/VE - 09231/24/BL - 09231/24/NE - 09231/24/VE - 09231/24/RO
Class	150 N: 09230/24/BL - 09230/24/NE - 09230/24/RO - 09230/24/VE - 09231/24/BL - 09231/24/NE - 09231/24/VE - 09231/24/RO
Closure System	Safety harness with 45 mm webbing, quick-release buckle closure in acetal resin (light version) and side adjustment system.
Certifications	ISO 12402-3,
Size	Adult
Supported Weight	>40 kg
Waist Circumference	80–125 cm
Cover	PL 600D PU COATED
Chamber	PA 420 PU-coated material, fluorescent yellow colour
Product Packaging	Carry bag in PL 600D PU-coated mesh
Product Dimensions	50 x 26 x 25 cm +/- 5%
Product Weight	09230/24/BL - 09230/24/NE - 09230/24/RO - 09230/24/VE: (900 g +/- 5%) 09231/24/BL - 09231/24/NE - 09231/24/RO - 09231/24/VE: (850 g +/- 5%)
Packaging	60 x 40 x 40 cm (13 items/carton)
Warranty	24 months
Service Interval	Every 24 months
Optional Accessories	Sprayhood, automatic emergency light, crotch strap.
Spare Parts	Whistle, rearming kit

Veleria San Giorgio reserves the right to modify the technical specifications without prior notice.

DONNING INSTRUCTIONS



1. Put on the lifejacket



2. Fasten the buckle



3. Adjust the waist strap

Single-compartment buoyancy chamber in PA 420 PU-coated fabric with electronically-controlled high-frequency welded seams. This ensures an optimal positioning in the water and excellent stability. The buoyancy is enough to rotate and tilt an unconscious person, keeping their airways clear of the water. Even when fully inflated, it does not impede swimming to a safe place or quickly boarding a liferaft.

INFLATION SYSTEMS:

Automatic - Upon falling into the water, the system is submerged and automatically inflates the buoyancy chamber within 5 seconds. Automatic activation is possible with the UML MK5 saline activator, through the dissolution of a water-soluble tablet.

Manual - The system is activated by pulling the dedicated handle. It is supplied with the UML MICROMANUAL manual inflator and is activated exclusively by hand.

Oral - This type of inflation occurs through the dedicated mouth tube fitted with a non-return valve and protective cap. To inflate the chamber, simply blow into the mouth tube.



SPARE PARTS

	Whistle - Code 25180 Mandatory accessory providing an audible emergency signal. Certified to ISO 12402-8
---	--

Rearming:

UML MK5: rearming kit (26233), 33 g cylinder
UML MICROMANUAL: rearming kit (26233), 33 g cylinder

OPTIONAL ACCESSORIES

	Crotch strap - Code 09146 The use of this accessory improves the tilt, stability and positioning of the body in water.
---	--

	LED light - Code 03030 Automatically activates upon falling into the water. Visible up to one mile. SOLAS M.E.D. and USCG approved.
---	---

	Sprayhood - Code 09145/SK Reduces the risk of secondary drowning caused by inhaling water spray. Improves visibility of the survivor.
---	---

	Crotch strap - Code 09148 The use of this accessory improves the tilt, stability and positioning of the body in water.
--	--



Remember to book a periodic inspection by emailing info@valeriasangiorgio.com or on the website.



For more information, please contact us by calling +39 0185 467701 or via www.valeriasangiorgio.com.



To buy or learn more about this product, please scan the QR Code or visit www.valeriasangiorgio.com.

LIFE JACKETS AND LIFEBELTS, FLAGS AND BANNERS, TECHNICAL ITEMS, PERSONAL PROTECTIVE EQUIPMENT AND SAFETY GEAR FOR CIVILIAN AND MILITARY FIELDS Via Alcide De Gasperi, 37H - 16030 Casarza Ligure - Genoa - Italy Tel. +39 0185 467701 - Fax +39 0185 467050 - info@valeriasangiorgio.com - www.valeriasangiorgio.com



**VELERIA
SAN GIORGIO®**


LIFEJACKET MANUFACTURER

ESCLUSIVE SAFETY TECNOLOGIES

Safety at sea is our main priority. We manage all research, design and production processes with the utmost care so as to offer certified equipment for all nautical fields, with the highest production standards. All research and development activities are certified by the Department of Applied Science and Technology of the Polytechnic University of Turin, in accordance with EU regulations.

THE PRODUCTION PROCESS AND TRACEABILITY

With the aim of making inflatable life jackets more reliable, in 1994 Veleria San Giorgio introduced the Unique Product Code system. As the only manufacturer in the world to employ this type of technology, VSG is now able to identify all materials and individual components utilised through distinct alphanumeric codes.



CERTIFICATO N. CERTIFICATE No.

26/91/S

SI CERTIFICA CHE IL SISTEMA DI GESTIONE PER LA QUALITÀ DI
IT IS HEREBY CERTIFIED THAT THE QUALITY MANAGEMENT SYSTEM OF

VELERIA SAN GIORGIO S.R.L.

VIA A DE GASPERI 37H 16030 Casarza Ligure (GE) ITALIA
NELLE SEGUENTI UNITÀ OPERATIVE / IN THE FOLLOWING OPERATIONAL UNITS

VIA A DE GASPERI 37H 16030 Casarza Ligure (GE) ITALIA

È CONFORME ALLA NORMA / IS IN COMPLIANCE WITH THE STANDARD
ISO 9001:2015

Production processes are controlled via software specially developed by VSG, covering 100% of production so each product can be traced back to its buyer with absolute precision. This drastically reduces manufacturing defects (less than 1/10000 of returns), guaranteeing each buyer a unique product in the truest sense of the word and - most importantly - the highest degree of safety when needed.

Thanks to their ergonomic features, our life jackets guarantee an optimal position in the water and great stability. In addition, the vests offer enough buoyancy to rotate and tilt an unconscious person, so as to always keep the airway out of the water.

Spin - tilt

